



ALFA M 08

Hand propelled manual stacker for europallet

Catalogue | Data sheet

ALFA M 08

The Alfa M 08 evo is a lift truck that features manual translation and lifting. The ascent of the forks is facilitated by a quick-lift manual pump, while the descent is controlled by a lever located on the tiller.

The Alfa M evo is capable of lifting loads up to 1000 kg. It can handle these loads with a load center at 600 mm and lift them to a maximum height of 800 mm.



Main application:

- Picking and storage of euro pallets up to 1000 kg

► Key Features

High quality steel structure 100%
"Made in Italy"

Push handles for maximum
ergonomics

Covering forks made for
europallet size

Manual traction and
manual lifting by
hydraulic pump

Manually adjustable forks in
width

High-quality pivoting wheels with
parking brake

ALFA M 08




Data sheet


Key Data				
Manufactured by			Armanni Carrelli Elevatori S.r.l.	
Model			ALFA M 55/08	ALFA M 105/08
Lifting technology			manual	manual
Traction technology			manual (by handles)	manual (by handles)
Lifting capacity (Kg)			500	1000
Weight (excluding battery)			150	190
Code			12830	12831
Stacker dimension				
Body external width	Z	mm	745	735
Legs width (outer distance)	E	mm	520	520
Space between legs	F	mm	400	340
Forks dimensions	s/N/I	mm	50/100/1150	55/120/1150
Forks width, outer distance (min/max)	M	mm	200/800	200/765
Width	B	mm	800	800
Length	L	mm	1680	1680
Length excluding forks	L2	mm	530	530
Forks overhang	X	mm	410	410
Height, lowered	h1	mm	1220	1220
Free lift height	h2	mm	800	800
Lift height	h3	mm	800	800
Height, extended	h4	mm	1220	1220
Ground clearance, outer	h13	mm	90	90
Load centre	c	mm	600	600
Wheelbase	Y	mm	1250	1250
Legs ground clearance (with load)	m2	mm	22	22
Aisle width (compliant with VDI 2198)	Ast	mm	2150	2150
Turning radius	WA	mm	1380	1380
Performance				
N° of pumps for maximum height with/without load			40/40	40/40
Lift height per pump with/without load		mm	20/20	20/20
Parking brake			manual (by foot)	manual (by foot)
Wheels and frame				
Pivoting wheels / fork rollers			PU / PU	PU / PU
N° of pivoting wheels / fork rollers			2 / 2	2 / 2
Pivoting wheel size		mm	ø150x50	ø150x50
Fork roller size		mm	ø80x35	ø80x70

Armanni Carrelli Elevatori reserves the right to make variations in features and dimensions without any obligation to give prior notice. Data provided are subject to tolerances of use.

Load chart



ALFA M 55/08



ALFA M 105/08




**Armanni Carrelli
Elevatori S.r.l.**

Via Serio 15,
24021 Albino (bg),
Italy


Tel.: +39 035752909
info@armanni.com
www.armanni.com



Authorized area dealer




STEALTH LINE


Made in Italy



© 2025 Armanni

This document has been carefully checked. Armanni assumes no responsibility for any errors. Armanni reserves the right to make changes in features and dimensions without any obligation to give prior notice. Data provided are subject to tolerances of use. Images are for illustrative purposes only.

www.armanni.com