



ALFA M GF-F

Hand-propelled manual stacker for drum emptying

Catalog | Data sheet

ALFA M GF-F

Alfa M GF-F is the ideal lift truck for handling and transferring drums and containers frontally, performing dosing operations safely and precisely.

The specific “drum-turner” system installed on the machine allows the operator to manually manage and adjust all operations connected to the handling of cylindrical drums and containers of various diameters.



Main application:

- Manual emptying of 210-liter DS/EN 210 metal drums.

► Key Features

High quality steel structure 100%
"Made in Italy"


Push handles for
maximum ergonomics

Manual traction and
manual lifting by
hydraulic pump


Manual gearbox to
ensure maximum
precision and minimum
effort for the operator

High-quality pivoting wheels with
parking brake

Straddle legs to ensure greater
stability



ALFA M GF-F





Data sheet

Key Data			
Manufactured by			Armanni Carrelli Elevatori S.r.l.
Model			ALFA M GF-F
Lifting technology			manual
Traction technology			manual
Lifting capacity (Kg)			300
Weight (Kg)			155
Code			12833
Stacker dimension			
Legs width (outer distance)	E	mm	700
Space between legs	F	mm	815
Width	B	mm	800
Length	L	mm	1580
Length excluding forks	L2	mm	525
Forks overhang	X	mm	420
Height, lowered	h1	mm	1980
Free lift height	h2	mm	1880
Lift height	h3	mm	1880
Height, extended	h4	mm	1995
Load centre	c	mm	685
Legs ground clearance (with load)	m2	mm	22
Wheelbase	Y	mm	1100
Aisle width (compliant with VDI 2198)	Ast	mm	2030
Turning radius	WA	mm	1235
Performance			
N° of pumps for maximum height with/without load			80/18
Lift height per pump with/without load	mm		20/90
Parking brake			manual
Wheels and frame			
Pivoting wheels / fork rollers			PU / PU
N° of pivoting wheels / fork rollers			2 / 2
Pivoting wheel size	mm		ø150x50
Fork roller size	mm		ø80x35
Equipment			
Type of equipment		manual mechanical drum turner	
Type and angle of rotation		360° frontal rotation	
Compatible drum type		metal drums DS/EN 210	
Type of reduction		gears	
Reduction ratio		1/225	

Armanni Carrelli Elevatori reserves the right to make variations in features and dimensions without any obligation to give prior notice. Data provided are subject to tolerances of use.

Load chart



MAX 300 Kg

DS/EN 210




**Armanni Carrelli
Elevatori S.r.l.**

Via Serio 15,
24021 Albino (bg),
Italy


Tel.: +39 035752909
info@armanni.com
www.armanni.com



Authorized area dealer




STEALTH LINE


Made in Italy



© 2025 Armanni

This document has been carefully checked. Armanni assumes no responsibility for any errors. Armanni reserves the right to make changes in features and dimensions without any obligation to give prior notice. Data provided are subject to tolerances of use. Images are for illustrative purposes only.

www.armanni.com