

## RFQ FORM FOR CUSTOM UNIT

## **CP LIGHT PRF-F**


1. How many types of drums need to be handled with the same trolley? Fill in the table based on the number and characteristics of the drums to be handled.

	Drum 1	Drum 2	Drum 3	Drum 4	Drum 5
Material:					
Shape:					
	Diameter at the center (mm):	Diameter at the center (mm):	Diameter at the center (mm):	Diameter at the center (mm):	Diameter at the center (mm):
Drum dimensions if: - cylindrical	Circumference at center (mm):	Circumference at center (mm):	Circumference at center (mm):	Circumference at center (mm):	Circumference at center (mm):
- conical - elliptical	Height (mm):	Height (mm):	Height (mm):	Height (mm):	Height (mm):
	Weight (Kg):	Weight (Kg):	Weight (Kg):	Weight (Kg):	Weight (Kg):
Drum	Dimension at the center (mm):	Dimension at the center (mm):	Dimension at the center (mm):	Dimension at the center (mm):	Dimension at the center (mm):
dimensions if: - square - rectangular	Height (mm):	Height (mm):	Height (mm):	Height (mm):	Height (mm):
	Weight (Kg):	Weight (Kg):	Weight (Kg):	Weight (Kg):	Weight (Kg):
Type:					

2	How are th	ie d	rums	stored <sup>2</sup>	2 W	here s	houl	d the	v he	nicke	d u	n or	dei	nosited	17
∠.	I IOVV GI C CI	$\cdot$	1 41113	Jeon Ca			i i o a i	u ciic	- 9 5 5	PICING	u u	$\rho$ $\sigma$	u		л.

	~	$\sim$	$\sim$	r	n	$\alpha$
	a.	11)	u			γ
	٠.	 	$\overline{}$			$\sim$


b. Pallet or step (indicate the max. projection and height of the step for each drum)



	Drum 1	Drum 2	Drum 3	Drum 4	Drum 5
Max. proj. x. (mm)					
Height y. (mm)					




c. Shelf, drums stored vertically



	Drum 1	Drum 2	Drum 3	Drum 4	Drum 5
Max. projection: X (mm)					
Max. storage height: y1 (mm)					
Min. clearance: y2 (mm)					
Min. distance between drums: d2 (mm) (if multiple drums, minimum possible 465 mm)					
Min. distance between drum and shelf: d2(mm) (if multiple drums, minimum possible 465 mm)					

d. Shelf, drums stored horizontally



	Drum 1	Drum 2	Drum 3	Drum 4	Drum 5
Max. projection: X (mm)					
Max. storage height: y1 (mm)					
Min. clearance: y2 (mm)					
Min. distance between drums: d2 (mm) (if multiple drums, minimum possible 465 mm)					
Min. distance between drum and shelf: d2(mm) (if multiple drums, minimum possible 465 mm)					

3. Is it necessary to pass through a door or narrow pass If so, please specify the dimensions of the door.	sage?
<ul><li>No</li><li>Yes, with load (please, indicate)</li><li>Yes, without load (please, indicate)</li></ul>	b.
a. Door height: (mm) b. Door width: (mm)	a.

4.	How tall is the container into which the drum must be emptied? Are there any obsta-
	cles on the ground (e.g., steps or thick walls of the container)? Are there any obstacles
	in terms of height (e.g., low ceiling or beams)? Please, indicate.

		a. Overall available room height
		(of the emptying point):
ı		in (mm)
ı	A COMMAN	b. Overall container height (from
ı		the ground):
ı	a.	in (mm)
ı	CP.	x. Max. projection (including con-
ı	b.	tainer walls thickness):
		in (mm)
5	What extra accessories are required?	
J.		h
	Lithium battery 90 Ah 180 A  Stainless steel trolley: Specify work area	.n
	Stainless steel tilting clamp	
	Stainless steel gripping pads	
	Protective lexan	
	☐ Hour meter with diagnostics	
	Armanni Connect 4.0	
	Custom paint: please, specify RAL color	
	Pendant control (available only for tilting, not for lift	ting/clamping)
5.	What will the trolley be used for? Describe the operation Please attach images to the email if possible.	ion and add any special notes.
7.	Enter your details to be contacted. (required fields)	
	First name Company	
	Last name Email	
	Print form or	Save form